2015 TEHAMA COUNTY PRUNE DAY



Regulatory Update Tehama County Ag Department

Doug Compton

Tehama County Dept. of Agriculture February 20, 2015

Continuing Ed Credit



0.5 hour - Laws & Regs; 1.5 – hours other

Valid for Private Applicators, QAL, PCA, Etc. Also CCA credit

Be sure to sign in before you leave; get a receipt if you're from out of county or have a state issued license

Permits

Please call to make an appointment
 Must be signed by owner/operator or authorized agent
 Fourth year for new permit program







Tree Hole Fumigation

Still available for some materials Dazomet Telone Chloropicrin All regulations for field fumigation are in place (FMP, Respiratory Protection, Training, etc), so it can be difficult for private applicators to meet all requirements.

Commercial applicators are performing these types of spot fumigations.

Tree Hole Fumigation-Dazomet


Labeled material (Basamid G) prohibits use of hand held equipment

Working with registrant (AMVAC) to change label back to allow hand held use; possible by summer 2015

Would still need to complete Fumigation Mgmt Plan and become certified online-CAC will assist you

Closed System (CS) Regulation


- Required for employees mixing or loading Category I liquids or minimal exposure pesticides for ag use
- Some manufactured CS now meet DPR criteria
- Can be avoided by using water soluble bag, having owner mix or fabricate your own CS (it must be approved by CAC)





Closed System Regulation

Regulation was promulgated over 30 years ago to mitigate exposure to skin from some highly toxic materials (mostly insecticides, many of which are no longer registered)



The inclusion of severe or irreversible eye damage to Category I designation brought many herbicides into this requirement (not dermal risk)



Proposed CS Regulation

UC Davis Ag Engineering Dept developing low tech CS for applicators to fabricate Users, County Ag Commissioners and CDPR collaborated to revise CS regulation Requirements based on dermal hazard statements rather than signal word Two tiered regulation: Tier 1 will still require system to remove liquid from original container and rinse; Tier 2 will not require rinsing

Proposed CS Regulation

Would apply to employees mixing liquid pesticide formulations for production of an agricultural commodity

Based on the Precautionary Statements on the label, an employee would need to use a Tier 1 system, a Tier 2 system, or no system (hand pour)

Proposed CS Regulation-Tier 1

A Tier 1 system is required to be used by employees who mix liquid pesticide products, including adjuvants, bearing the statement "Fatal if absorbed through skin" or other comparable language

Must be capable of enclosing the pesticide while removing the contents from its original container, preventing contact with handlers, and rinsing and draining while still connected

Proposed CS Regulation-Tier 2

A Tier 2 system is required to be used by employees who mix liquid pesticide product, excluding adjuvants, bearing the statement "May be fatal if absorbed through skin" or "Corrosive, causes skin damage" or comparable language

Must be capable of enclosing the pesticide while removing the contents from its original container, preventing contact with handlers

What to Look for on Labels SPECIMEN

LABEL

HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Corrosive. Causes ineversible eye damage. Harmful if swallowed. Do not get in eyes or on clothing. Avoid contact with skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are butyl tubber, natural hubber, recorere or nitrile tubber. If you want more options, follow the instructions for Category A on an EPA chemical-resistance category selection chart.

All mixers, loaders, applicators, flaggers, and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes and sodies
- Chemical-resistant gloves (except for pilots)
- Chemical resistant apron when applying with any handheld nozzle or equipment, mixing or loading, deaning up spills or equipment, or otherwise exposed to the concentrate
- Protective eyewear (goggles on face shield).

See Engineering Controls for additional requirements.

Discard clothing and other absorbent materials that have been chearled or heavily contaminated with this products concentrate. Donot reuse them, Follow manufacturer's instructions for dealing/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Reep and wash PPE separately from other laundy. After each day of use, clothing or PPE must not be reused until it has been cleaned.

ENGINEERING CONTROLS STATEMENTS

Pilots must use an enclosed cockpit that meets the requirements listed in the WP5 for agricultural pestoides [40 CFR 170 240 (d)(6)].

When handlers use enclosed cabs or arcraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240(d)(4-6)), the handler PPE requirements may be reduced or modified as specified in the WPS .

USER SAFETY RECOMMENDATIONS

Users should: • Wash hands before eating, chinking, chewing gum, using tobacco or using the toilet.

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on dean clothing.
- Remove PPE immediately after handing this product. Wash the cutside of goves before removing. As soon as possible, wash thoroughly and change into dean clothing.

ENVIRONMENTAL HAZARDS

This pesticide maybe toxic to fait and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to interfidal areas below the mean high water mark. Drift and nuroff may be hazardous to aquate organisms in water adjacent to heated areas. Do not contaminate water when disposing of equipment wastwaters or initiate. Apply this productionly as directed on label.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a distem or well may result in contamination of chinking water or groundwater.

Most cases of groundwater contamination involving phenoxy herbiddes such as 2,4-D have been associated with mixing/loading and disposal sites. Caution should be exercised when handing 2,4-D pestiddes at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pestidde will exclude the probability of spills. Recement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

PESTICIDE STORAGE: Open dumping is prohibited. Do not store this product near tertilizers, seeds, insectoides, or fungidides. Redose all partially used containers by thoroughly tightening screw cap. Absolb any spill with a suitable clay absorbent and dispose of as indicated under Pestiside Disposal.

Protect from freezing. If stored below freezing, the product must be warmed to at least 70 % and agriated before using. This does not affect the efficiency of the product.

For safety and prevention of unauthorized use, all pesticides should be stored in locked tabilities. To prevent accidental misuse, different pesticides should be stored in separate areas with enough distance between to provide clear identification.

Opened, partially used pesticides should be stored in original labeled containers when possible. When transfer to another container is necessary because of leakage or damage, carefully mark and identify contents of the new container.

ORCHARD STAR® Herbicide

AC TIVE INGRIED IEN TH

Dimethylamine, salt of 2 d-dichlor othen oxystellig a

For selective control of many broadcast weeds in orchard floors (apple, pear, stone fruit and nut).

Manufactured by: **ALBAUGH, INC.** 1525 NE 36th Street Ankeny, Iowa 50021

FOR CHEMICAL SPILL, LEAK, FIRE, OR EXPOSURE, CALL CHEMTREC (800) 424-9300

OTHER NGREDIENTS			
TOTAL			
	"Equivalent to 38.9% of 2,4-dichlorophenoxyscelic acid or 38 lbs./gal. Isomer specific by AOAC Method.		
	EPIX Reg. No. 42750-19 EPIX Est. No. 42750-MO-001		
KEEP	OUT OF REACH OF CHILDREN		
	NGER – PELIGRO		
Si usted no entiende la etiqueta, busque a alguian para que se la explique a usted en detalle. (If you do not un destand this tabel, find someone to explain it to you in detail)			
FIRST AID			
FINEYES	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. 		
	Call a poison control center or doctor for treatment advice.		
F SWALLOWED:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to svallow.		
	+ Do not induce iomifing unless told to do so by the poison control center or doctor		
	 Do not give anything by mouth to an unconscious person. 		
F ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. 		
cconnid.	Call a poison control center or doctor for treatment advice.		
F INHALED:	+ Move person tortresh air.		
	 If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. 		
	Call a poison control center or doctor for further treatment advice.		
	HOT LINE NUMBER		
Have the product container or label with you when calling a poison control center or doctor, or going for treat- ment. You may also contact 1-800-434-9300 for emergency medical treatment information.			
NOTE TO PHYSICIAN Probable mucicial damage may contraindicate the use of gastric lavage.			
See inside booklet for additional PRECAUTIONARY STATEMENTS.			

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Corrosive. Causes irreversible eye damage. Harmful if swallowed. Do not get in eyes or on clothing. Avoid contact with skin. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

ORCHARD STAR® Herbicide

For selective control of many broadcast weeds in orchard floors (apple, pear, stone trult and nut).

Manufactured by:

ALBAUGH, INC. 1525 NE 36th Street Ankeny, Iowa 50021

FOR CHEMICAL SPILL, LEAK, FIRE, OR EXPOSURE, CALL CHEMTREC (800) 424-9300

	x 2,4-dichlor ophenoxyseetic acid"		
011EE NGREDIBUTS			
	OUT OF REACH OF CHILDREN		
DANGER – PELIGRO Si ured montémete la eléqueta, busque a alguién para que se la explique a ur bel en detaile. (If you do not undestand this table (find somisene to explain it to you in detail).			
	FIRST AID		
FINEYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.		
FSWALLOWED:	Call a poison control center or doctor immediately for treatment addice. Have person sip a glass of vider if able to svallow. Donot induce vending unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconsistus person.		
F ON SKIN OR CLOTHING:	Take off contaminated dotting Risse skin immediately with plenty of vater for 15-20 minutes. Call a poison control center or doctor for treatment advice.		
IF INHALED:	 Move person to thesh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible Call a poism control center or doctor for further treatment advice. 		
	HOT LINE NUMBER		
Have the product container or label with you when valing a poison control center or doctor, or going for treat- ment. You may also contact 1-800-434-9300 for emergency medical treatment information.			
Probable mucosal d	NOTE TO PHYSICIAN anage may contraindicatethe use of gastric lavage.		
See inside booklet for additional PRECAUTIONARY STATEMENTS.			

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Conceive, Causes ineversible eye damage. Harmful if swallowed. Do not get in eyes or on clothing. Avoid contact with skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are butyl nubber, natural nubber, neoprene or nitrile nubber. If you want more options, follow the instructions for Category A on an EPA chemical-resistance category selection chart.

- All mixers, loaders, applicators, flaggers, and other handlers must wear:
- Long-sleeved shirt and long pants
- Shoes and sooks
- Chemical-resistant gloves (except for pilots)
 Chemical-resistant aproximite applying with any handheld nozzle or equipment, mixing or loading, deaning up spills or equipment, or otherwise exposed
 to the concentrate

Protective eyewear (goggles or face shield).

See Engineering Controls for additional requirements.

Diszard clothing and other absorbent materials that have been chenched or heavily contaminated with this products concentrate. Donot reuse them, Follow manufacturer's instructions for deaming/maintaining PPE. If no such instructions for washables exist, use detergient and hot water. Neep and wash PPE separately from other laundy. After each day of these, clothing or PPE must not be reused until intras been deamed.

ENGINEERING CONTROLS STATEMENTS

Pilots must use an enclosed cookpit that meets the requirements listed in the WP5 for agricultural pesticides [40 CFR 170 240 (d)(5)].

When handlers use enclosed cabs or arcraft in a mamer that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240(d)(4-6)), the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on dean clothing.
 Remove DEFirmmediately if pesticide gets inside. Then wash thoroughly and put on dean clothing.
- Remove PPE infmediately after handing this product. Wash the outside of goves be breven oving. As soon as possible, wash thoroughly and change into dean clothing.

ENVIRONMENTAL HAZARDS

This pestidde maybe toxic to thit and aquatic invertebrates. Donot apply directly to viater, or to areas where surface water is present, or to interfidal areas below the mean high water mark. Child and runof may be tazardous to aquato organisms in water adjuent to treated areas. Do not contaminate water when depending of equipment wastiwaters or instead, Apply this productionly as directed on label.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is stallow, may result in groundwater contamination. Application around a distant or well may result in contamiriation of disting water or groundwater.

Most cases of groundwater contamination including phenoxy hetricides such as 2.4-0 have been associated with mixing/loading and depocal sets. Caution should be exercised when handing 2.4-0 pesidodes at such as hetes to prevent contamination of groundwater supplies. Use of loaded systems to mixing or transforming hispesticide will reduce the probability of spills. Recomment of the mixing/loading equipment on an impervious pad to contain spills will heb prevent groundwater contamination.

STORAGE AND DISPOSAL Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Open cumping is prohibited. Do not store this product near tertilizers, seeds, insecticides, or fungicides. Redose all partially

Hearwork around is provide, open comparison protects, contrastic and protect hear a mileta, seek mileta function, or hargino as readow an partially used containers by thoroughly tightening strew cap. Aboob any spill with a suitable cap aboothent and dispose of as indicated under Pestikide Disposal.

Protect from freezing. If stored below freezing, the product must be warmed to at least 70 % and agitated before using. This does not affect the efficiency of the product.

For safety and prevention of unauthorized use, all posticides should be stored in looked tabilities. To prevent accidental misuse, different posticides should be stored in separate areas with enough distance between to provide clear identification.

Opened, partially used pesitoides should be stored in original labeled containers when possible. When transfer to another container is necessary because of leakage or damage, carefully mark and identify contents of the new container.

307070QL

RESTRICTED USE PESTICIDE

DUE TO AQUATIC TOXICITY, AVIAN HAZARD, ACUTE ORAL TOXICITY AND EYE CORROSIVITY HAZARD For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the

Certified Applicator's certification.

SUPRACIDE[®]2E

For control of certain insects in artichokes; certain citrus, fruits and nuts; cotton; nursery stock; olives; saflowers; and sunflowers

ACTIVE INGREDIENT: %BY \	WT.
Methidathion: 0,0-dimethyl phosphorodithioate, S-ester with 4-(mercaptomethyl)-2-methoxy- 🕰-1,3,4-thiadiazolin-5-one	4.4%
OTHER INGREDIENTS	5.6%
TOTAL	0.0%

Supracide 2E contains 2 bs. active ingredient per gallon. Contains Petroleum Distilate

KEEP OUT OF REACH OF CHILDREN DANGER/PELIGRO

🕱 POISON 🕱

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

	FIRST AID
f in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	 Call a poison control center or doctor for treatment advice.
f swallowed	 Call a poison control center or doctor immediately for treatment advice.
	 Have person sip a glass of water if able to swallow.
	 Do not induce vorniting unless told to do so by the poison control center or doctor.
	 Do not give anything by mouth to an unconscious person.
Finhaled	Move person to fresh air.
	 If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth- to-mouth, if possible.
	 Call a poison control center or doctor for further treatment advice.
F on skin or dathing	Take off contaminated dothing.
_	 Rinse skin immediately with plenty of water for 15-20 minutes.
	 Call a poison control center or doctor for treatment advice.
	HOT LINE NUMBER
	r or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1- c v medical treatment information.

NOTE TO PHYSICIAN

This product may pose an aspiration pneumonia hazard. Contains petroleum distillates. Methidathion is a cholinesterase inhibitor. Arropine is antidotal and should be given as early poisoning symptoms appear. 2-PAM is also antidotal and may be administered in conjunction with atropine. If swallowed, lavage stomach taking care to avoid aspiration of stomach contents into lungs. Instill 30-50 gm. slumyof activated charcoal in water into the stomach atter lavage.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals DANGER/PELIGRO POISON

Fatal if swallowed. Corrosive. Causes irreversible eye damage. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe spray mist. Do not get in eyes, on skin, or on dothing. Wash thoroughly after handling.

NET CONTENTS ____ GALLONS

EPA Reg. No. 10163-236 EPA Est. No. 67545-AZ-1



Produced For Gowan Company P.O. Box 5569 Yuma, Arizona 85366-5569

RESTRICTED USE PESTICIDE

DUE TO AQUATIC TOXICITY, AVIAN HAZARD, ACUTE ORAL TOXICITY AND EYE CORROSIVITY HAZARD For retail sale to and use only by Cettified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

SUPRACIDE[®]2E INSECTICIDE

For control of certain insects in artichokes; certain citrus, fuits and nuts; cotton; nurserv stock; olives; saflowers; and sunflowers

ACTIVE INGREDIENT:

% BY WT.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS **DANGER/PELIGRO** POISON

Fatal if swallowed. Corrosive. Causes irreversible eve damage. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

> tal and may be administered in conjunction with atropine. If swallowed, lavage stornach taking care to avoid aspiration of stornach to lungs,instill 30-50 gm, slumvof activated charcoal in water into the stomach after lavage,

> > PRECAUTIONA RY STATEMENTS Hazards to Humans and Domestic Animals DANGER/PELIGRO POISON

Fatal if swallowed. Corrosive. Causes irreversible eve damage. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

NET CONTENTS GALLONS

EPA Reg. No. 10163-236 EPA Est. No. 67545-AZ-1



Produced For Gowan Company P.O. Box 5569 Yuma, Arizona 85366-5569

RESTRICTED USE PESTICIDE Due to Reproductive Effects and Acute Toxicity

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification. Direct supervision for this product is defined as the certified applicator being physically present during mixing, loading, equipment repair and equipment cleaning. Certified applicators must ensure that all persons involved in these activities under their direct supervision are informed of the precautionary statements.

ATTENTION: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

MSR[®] SPRAY CONCENTRATE

SYSTEMIC INSECTICIDE

FOR EFFECTIVE SYSTEMIC CROP PROTECTION

% Bv Wt.

TOTAL 100.0%

ACTIVE INGREDIENT:

lavade

Oxydemeton-methyl: S-[2-(Ethylsulfinyl)ethyl] O,O-dimethyl phosphorothioate	25.0%
OTHER INGREDIENTS	<u>75.0%</u>

Contains 2 lbs. S-[2-(Ethylsulfinyl)ethyl] O,O-dimethyl phosphorothioate per U.S. gallon

(This product contains petroleum distillates.) -STOP-READ THE LABEL BEFORE USE

KEEP OUT OF REACH OF CHILDREN DANGER - POISON PELIGRO - VENENO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)


	FIRST AID
	ORGANOPHOSPHATE
If swallowed	Immediately call a poison control center or doctor.
	 Do not induce vomiting unless told to do by a poison control center or doctor.
	Do not give any liquid to the person.
	Do not give anything by mouth to an unconscious person.
If on skin or clothing	Take off contaminated clothing.
	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
lf inhaled	Move person to fresh air.
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-
	mouth, if possible.
	Call a poison control center or doctor for further treatment advice.
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
	HOT LINE NUMBER
Have the product container or la	abel with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-888-478-
0798 for emergency medical tre	eatment information.
	NOTE TO PHYSICIAN
	ation pneumonia hazard. Contains petroleum distillates.
	whate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM ministered, but only in conjunction with atropine. Probable mucosal damage may contraindicate the use of gastric

NET CONTENTS 2.5 GALLONS

EPA Reg. No. 10163-220 EPA Est. No. 67545-AZ-1



Produced For: Gowan Company P.O. Box 5569 Yuma, AZ 85366-5569



See Side/Back Panel for additional precautionary statements.

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

Gramoxone[®]SL

syngenta.

Herbicide

A Weed, Grass, and Harvest Aid Desiccant/Defoliant Herbicide

Active Ingredient:

Paraquat dichloride (1,1'-dimethyl-4,4'-bipyridinium	
dichloride)	30.1%
Other Ingredients:	69.9%
Total:	100.0%

Contains 2.0 pounds paraquat cation per gallon as 2.762 pounds salt per gallon.

Contains alerting agent (odor) emetic and dye.



Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

- NEVER PUT INTO FOOD, DRINK OR OTHER CONTAINERS.
- IF SWALLOWED, TAKE IMMEDIATE ACTION AS PRESCRIBED IN FIRST AID STATEMENT. SYMPTOMS ARE PROLONGED AND PAINFUL
- DO NOT USE OR STORE IN OR AROUND THE HOME.
- DO NOT REMOVE CONTENTS EXCEPT FOR IMMEDIATE USE.
- THE ODOR OF THIS PRODUCT IS FROM THE ALERTING AGENT WHICH HAS BEEN ADDED, NOT FROM PARAQUAT.

EPA Reg. No. 100-1217 EPA Est. 100-LA-001

Product of the United Kingdom Formulated in the USA

scp 1217B-L1E 0711 346482 **2.5 gallons**

Net Contents



HAZARDS TO HUMANS AND DOMESTIC ANIMALS



DANGER / POISON PELIGRO

May be fatal if swallowed. Fatal if inhaled. Do not breathe spray mist. Wear a dust mist NIOSH-approved respirator with any N, R, P, or HE filter. Causes substantial but temporary eye injury. Wear protective eyewear (face shield required when mixing/loading). Harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing. Avoid contact with skin.

IMPORTANT: Inhalation is an unlikely route of exposure due to low vapor pressure and large spray droplet size, but mucosal irritation or nose bleeds may occur. Prolonged contact with this concentrated product can irritate your skin.

Personal Protective Equipment (PPE)

Applicators and other handlers (other than Mixers and Loaders) must wear:

- Long-sleeve shirt and long pants
- Shoes plus socks
- Protective eyewear
- Chemical Resistant Gloves Category A (e.g. barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride (PVC) or Viton®)
- A dust mist NIOSH-approved respirator with any N, R, P, or HE filter

Mixers and Loaders must wear:

- · Long-sleeve shirt and long pants
- Shoes plus socks
- A dust mist NIOSH-approved respirator with any N, R, P, or HE filter
- Chemical Resistant Gloves Category A (e.g. barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride (PVC) or Viton)
- Chemical resistant apron
- Face shield

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should:

- · Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon
 as possible, wash thoroughly and change into clean clothing.



HAZARDS TO HUMANS AND DOMESTIC ANIMALS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS **DANGER / POISON**

PELIGRO

May be fatal if swallowed. Fatal if inhaled. Do not breathe spray mist. Wear a dust mist NIOSH-approved respirator with any N, R, P, or HE filter. Causes substantial but temporary eye injury. Wear protective Person Applica eyewear (face shield required when mixing/loading). Lor

- Sho Harmful if absorbed through skin. Do not get in eyes, Pro
- Che on skin, or on clothing. Avoid contact with skin. nat
- A c **IMPORTANT:** Inhalation is an unlikely route of exposure Mixers
 - due to low vapor pressure and large spray droplet size, Lor
 - Sho but mucosal irritation or nose bleeds may occur. Ac
 - Che **Prolonged contact with this concentrated product can** nat
 - Che irritate Fac

your skin.

Discard concent tions fo

May with

requir Avoid

IMPOR but mu

your sk

Engineering Controls

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

Proposed CS Regulation

- Should remove many commonly used materials from CS requirement that do not have high dermal hazard
- A few materials that do no currently require a CS would be covered under new regulation
- Text of proposed regulation available and public comments may be submitted until 2/25/15 at: http://www.cdpr.ca.gov/docs/legbills/rulepkgs/14-004/14-004.htm

Chlorpyrifos Regulation

CDPR proposing to make ag use chlorpyrifos (Lorsban, Govern, etc) a California Restricted Material

Would require to be on permit, NOI, use or supervised by certified applicator

CAC could condition use under permit process

- Comment period closed 11/12/14
- Possible effective date in Summer 2015

Chlorpyrifos Regulation

CDPR awaiting USEPA registration review and critical use studies to determine if permit conditions will be suggested

Suggested permit conditions could include buffer zones to sensitive sites or restricting application methods

Dormant Spray-Bee Protection

No Dormant spray cutoff date in Tehama County
 For insecticide use in areas that have bloom, follow label restrictions (e.g. 'Do not apply when bees are actively visiting')
 Call Tri-county Bee Notification Service 48 hrs

prior to application 934-6666



Dormant Spray-Water Protection

Regulation requires dormant application of insecticides to orchards be done in a manner that prevents runoff for 72 hours,or:

Have a PCA's written recommnedation, 100 ft buffer to aquatic sites, and windspeed 3-10 mph
 No aerial application unless soil conditions or

bloom make necessary


No application if storm that may cause runoff is within 48 hours of application

USEPA Streamside Buffer Zones

Reinstated August 15, 2014 Result of litigation from Washington Toxics Coalition and other groups Applies to carbaryl, chlorpyrifos, diazinon, malathion and methomyl 20 yard buffer to streams for ground applications, 100 yards by air Not enforceable by CAC as regulation or label restriction-must be action to enforce court order

Read Entire Label

Labels frequently change Many materials are now federally restricted Increased PPE requirements Chemical resistant boots, apron Buffer zones Posting requirements Supplemental labels



www.cdpr.ca.gov

List of Continuing Education classes, including online credit
 Training and safety information
 Pesticide product information
 Laws & Regulations
 Forms and Handouts

Other Sources of Information

www.co.tehama.ca.us
www.agrian.com
www.cdfa.ca.gov
www.ucanr.org
www.cdms.net



We've Moved

New office location 1834 Walnut StSame phone numbers, P.O. Box



Thank You

Be sure to sign in for CE credit