Hi, Akif Eskalen Add Post View Blog My Blogs

ANR Portal

Published on: June 28, 2013

Logout

# TOPICS IN SUBTROPICS

A collaborative blog by UC farm advisors and specialists in subtropical horticulture in California.



## The state of Dothiorella canker on avocado in California

Author: Akif Eskalen and Virginia McDonald

Branch and trunk canker on avocado was formerly attributed to Dothiorella gregaria, hence the name Dothiorella canker. So far Botryopshaeria dothidea (anamorph: Fusicoccum aesculi) is the only known species causing Dothiorella canker on avocado in California. Symptoms observed on avocado with Dothiorella canker include shoot blight and dieback, leaf scorch, fruit rot, and cankers on branches and bark.

However, recent studies based on DNA analyses suggest greater species diversity of this pathogen group than based on morphological characteristics alone. Thus far, multiple species of Botryosphaeriaceae have been found to cause the typical Dothiorella canker (Fig3.) and stem-end rot (Fig 5) on avocado in California. Percent recovery of Botryosphaeria spp. based on morphological characters ranged from 40-100% in Riverside county, 42-53% in Ventura county, 33% in Santa Barbara county, 60% in San Diego county and 32-60% in San Luis Obispo county.

According to preliminary results from a continuing survey throughout avocado growing areas of California, multiple species of Botryosphaeria (Neofusicoccum australe, B. dothidea, N. luteum, and N. parvum) were found.

Pycnidia (overwintering structure) of Botryosphaeriaceae species were also observed on old diseased avocado tree branches. Sequenced rDNA fragments (ITS1, 5.8S rDNA, ITS2, amplified with ITS4 and ITS5 primers) were compared with sequences deposited in GenBank.

Pathogenicity tests were conducted in the greenhouse on 1-year-old avocado seedlings, Hass cv., with one randomly chosen isolate from each of the Botryosphaeriaceae species noted above. Four replicate seedlings were stem-wound inoculated with a mycelial plug and covered with Parafilm. Sterile PDA plugs were applied to four seedlings as a control. Over a period of 6 months, seedlings were assessed for disease symptoms that included browning of leaf edges and shoot dieback. Mean vascular lesion lengths on stems were 64, 66, 64, and 18 mm for B. dothidea, N. parvum, N. luteum, and N. australe, respectively. Each fungal isolate was consistently reisolated from inoculated seedlings, thus completing the pathogenicity test. To our knowledge, this is the first report of N. australe, N. luteum, and N. parvum recovered from branch cankers on avocado in California.

These results are significant because Botryosphaeriaceae canker pathogens are known to enter the host plant through fresh wounds (pruning, frost, and mechanical). With high-density planting becoming more common, which requires intensive pruning, the transmission rate of these pathogens could increase in California avocado groves. The Eskalen laboratory is currently investigating control measures for dothiorella canker and stem-end rot pathogens.

Branch dieback and trunk canker caused by the fungus





Tags: avocado (265), botryosphaeria (12), canker (6), dieback (4), dothiorella (13), fusicoccum (1) Comments: 0

#### No Comments Posted. Leave a comment below.

Leave a Reply:  Akif Eskalen you can leave a message:	
Your comments:	

Save Comments

#### **Recent Posts**

Herbicide Weed Resistance in California? January 29, 2019

Mycorrhizal Inoculants January 28, 2019

Getting Down and Dirty - Soils Conference January 25, 2019

#### **Recent Comments**

Linda G Haque: Helpful article. UCANR...

Marianne Whitehead: Great information! I have been...

Greg Alder: And in that very year Carl Schmidt...

Ben Faber: The ones we have been using are...

## **Top Tags**

- citrus avocado lemon acp irrigation
- orange mandarin hlb huanglongbing
- disease Asian Citrus Psyllid water drought • PSHB • fire

Subscribe / RSS / Podcast



Get the latest Blog Feed Via RSS

### Need Help? • Manage Subscriptions • Logout

Agriculture and Natural Resources, University of California. • All contents copyright©2019 Regents of the University of California. All rights reserved. Nondiscrimination Statement Get Adobe Flash Get Adobe Acrobat Reader