

University of California Agriculture and Natural Resources Making a Difference for California

September 2019

Fall Fruit Tree Pruning Demonstrations

Already folks have been asking about our pruning demonstrations. We plan to offer them once again in December, but we haven't yet selected the dates.

Return to Chernobyl

We are starting to develop plans regarding a fifth, and likely final (for us) return to Chernobyl. The Ukraine president, Volodymyr Zelensky, wants to further open the Chernobyl area to visitors—the Chernobyl Exclusion Zone is now the number one tourist attraction in Ukraine. I've heard from several individuals who are interested in a visit. Please let me know if you want to go.

Soil Testing for Diagnosing Soil Problems

The soils of Kern County may not support optimum plant growth because of their chemical characteristics. Indeed, much of the land on the valley floor could not support agriculture until it was reclaimed in the early 20th century. If soil will not support plant growth, a soil test may help to identify the specific problem. Soil tests may also be of value if large or high-value landscape installations are proposed. For accurate results, a soil sample needs to be analyzed by a lab. Home test kits or meters may give an indication of what's going on, but a lab will use standardized tests and calibrated instruments.

The key to a good soil sample is making it representative of the area of interest. For a particular area, a sample might be composed of about a dozen soil cores taken from the surface to depth of a foot and mixed well in a paper bag. Sampling is a science all by itself, so additional discussion might be necessary to know how many cores to take and at what depth or depths.

Three major chemical problems may appear in various locations in Kern County soils, either singly or in combination. These are salinity, sodicity, and high boron level. High pH is also a consideration, but does not usually impact plant growth as much as these three chemical problems. Remediation steps are specific to the soil problem encountered, and so it is important to identify the problem and the degree or amount of the problem. Although the term "alkali" is sometimes used to describe areas of soil where plants don't grow well, this term is not specific.

Let us consider each of these possible problems.

Salinity refers to an excess of soluble salts, the term salts referring not only to sodium and chloride ions (table salt), but positively and negatively charged atoms and molecules often found in soil. These include nitrate, ammonium, phosphate, potassium, iron, zinc, calcium, magnesium, and others. These salts are also plant nutrients, but if in excess, their total amount will result in water moving from plant roots into the soil solution resulting in drying (desiccation) of the plant. At lower but still excessive salt levels, plants will grow slowly although they may not exhibit obvious leaf symptoms.

Sodicity refers to an excess of the sodium ion. Sodium becomes directly toxic to plants at high levels. Too much sodium in relation to calcium and magnesium can result in very high pH, around 9, and can cause dispersion of soil organic matter and clay resulting in an impermeable layer on the soil surface ("black alkali"). Sodic soils are not common these days, since such soils were typically reclaimed in the past.

Boron is a necessary plant nutrient, but the line between sufficiency and excess is narrow. It is no wonder some Kern soils are high in boron, given that Kern County is home to the world's largest open-pit mine for boron minerals. A few years ago, I took soil samples from turf and an athletic field of the town of Boron, which is just a few miles south of the mine and no surprise, the grass was not growing well as a result of high levels of boron.

A lesser problem, high pH is common in Kern soils, but pH values are usually in the mid-7s. Recalling that pH of 7.0 is neutral, our soils tend to be alkaline (pH above 7.0) rather than acid (pH below 7.0). Most landscape plants grow well in a pH range of 7.3-7.7. However, alkaline pH does limit the availability of iron and zinc in the soil solution, so iron and zinc deficiencies are fairly common in landscape plants, as shown by example below in photos of Chinese elms.





What about soil test results and management?

Salinity is evaluated via electrical conductivity with units of decisiemens per meter, or dS/m. These units are numerically equivalent to the older unit of millimhos (mohs is ohms spelled backwards) per centimeter. Soil test values of less than 2 dS/m are conducive for plant growth. At levels above 2 dS/m, plants begin to be affected. A few plants, such as bermudagrass and date palms, can handle values as high as 16 dS/m. It is unusual to find high salt levels in the upper two feet of Kern soils, including desert soils, with the exception

of the Buena Vista Lake area and a few other spots. (If salt content of water is expressed as TDS, total dissolved salts, in parts per million (ppm), the value is numerically equivalent to milligrams per liter. An EC of 1.0 is approximately the same as 640 ppm TDS.) To remedy soils high in salts, the soil must be leached; that is, clean water must be applied and allowed to dissolve salts and carry them below the rootzone of plants. As a rule-of-thumb, about a foot of water is needed to clean a foot of soil.

Sodicity is evaluated by comparing the amount of the sodium ion to calcium plus magnesium. That comparison is expressed numerically as sodium absorption ration (SAR) or exchangeable sodium percentage (ESP), which have similar threshold values. If SAR or ESP is below 15, the soil should be OK. In general, remediating soil high in sodium involves application of gypsum and tilling, followed by irrigation with low-sodium water. A specific recommendation can be developed given data for a particular soil test.

Boron is measured in a soil test and its value given in ppm. A boron level is not limiting to plants if less than 1 ppm, but boron becomes increasingly toxic to plants at levels above 1 ppm. To remove boron, soil needs to be leached with water low in boron, and because boron tends to stick to soil, about three feet of water is needed to clean a foot of soil, the amount of water depending on the actual boron level and water quality.

Soil pH is determined in a lab by a calibrated meter. Test strips found in home test kits can give an idea of pH, usually within a half unit. It is possible to lower soil pH <u>prior</u> to planting by using sulfur. A few acid-loving plants may grow better if planted in soil with an amendment, such as acidic peat moss. Such acid-loving plants include azaleas, rhododendrons, gardenias, and to a lesser extent camellias. I say grow better, because these plants are from cool forest environments, and they're not well adapted to the San Joaquin Valley and its blazing summer sun. Again, a soil test can give precise results for pH that will inform the need for soil modification.

Our Cooperative Extension office has a list of soils labs that we can send to you by surface mail or as an email attachment.

John Karlik Environmental Horticulture/Environmental Science

Disclaimer: Discussion of research findings necessitates using trade names. This does not constitute product endorsement, nor does it suggest products not listed would not be suitable for use. Some research results included involve use of chemicals which are currently registered for use, or may involve use which would be considered out of label. These results are reported but <u>are not</u> a recommendation from the University of California for use. Consult the label and use it as the basis of all recommendations.

The University of California, Division of Agriculture and Natural Resources (UC ANR) prohibits discrimination against or harassment of any person in any of its programs or activities on the basis of race, color, national origin, religion, sex, gender, gender expression, gender identity, pregnancy (which includes pregnancy, childbirth, and medical conditions related to pregnancy, exital stability, medical isolity, medical condition (cancer-related or genetic characteristics), genetic information (including family medical history), ancestry, marital status, age, sexual orientation, citizenship, status as a protected veteran or service in the uniformed services (as defined by the Uniformed Services Employment and Reemployment Rights Act of 1994 [USERRA]), as well as state military and naval service. UC ANR policy prohibits retaliation against any employee or person in any of its programs or activities for bringing a complaint of discrimination or harassment. VC ANR policy prohibits retaliation against any employee or person in any of the programs or activities. UC ANR is an Equal Opportunity/Affirmative Action Employer. All qualified applicants will receive consideration for employment and/or participates in any of its programs or activities without regard to race, color, religion, sex, national origin, disability, age or protected veteran status. University is intended to be consistent with the provisions of applicable State and Federal laws. Inquiries regarding the University of California, Agriculture and Natural Resources, 2801 Second Street, Davis, CA 95618, (530) 750-1343. Email: <u>jsafox@ucan.edu</u>.Website: <u>http://ucan.edu/sites/anrstaff/Diversity/Affirmative_Action/</u>.