Happy to see you! We will be starting soon.



Welcome Gardening for Butterflies



- □ This event will be recorded for educational or promotional use by the University of California.
 □ You will be mutted throughout to prevent background noise.
 □ Please post your questions in the "0&A." Questions will be addressed at the conclusion of each section.
 □ Use the "Chat" for non-question conversations or comments. Be sure to chape the "10" if needed to ensure your Chat is sent to those who you want to send it to. Options:
 "Private" if specific Chat only to an individual participant or speaker
 "Panelist" if want to send a Chat only to the speakers
 "Everyone" if you'd like all to see your Chat message

UC UNIVERSITY OF CALIFORNIA Agriculture and Natural Resources UC Cooperative Extension

Who are the UCCE Stanislaus County Master Gardeners?



We extend research-based knowledge and information on home horticulture, pest management, and sustainable landscape practices.





Stanislaus County Residents: Contact Us!

Fill out a question survey http://ucanr.edu/ask/ucmgstanislaus

Follow us

The Stanislaus Sprout blog: ucanr.edu/blogs/StanislausSprout
Or on Facebook and Twitter @UCMGStanislaus

Sign up for our newsletter

- · Online class announcements
- · Gardening & pest management articles



http://ucanr.edu/stansprout

Verify your address when you receive an email from us.

Gardening for Butterflies

Welcome!

Please type your name and city into the chat box.



Gardening to Attract Butterflies Stanislaus County 2021



All Photos by Ellen Zagory unless otherwise noted

Why Garden for Butterflies? It will turn you into a ferverent conservationist



- They are benign creatures that add color, beauty and grace to our landscapes.
- Enjoying and learning about the butterfly fauna will help you better understand the issues of environmental change and conservation.

What makes butterflies different from other insects?

Order Lepidoptera

(along with the moths) lepido =scaly/ ptera=wing

- · Undergo complete metamorphosis
- · Only adults are flower visitors=pollinators
- Adults are mostly nectar eaters (more later)
- Larva, or caterpillars, eat plants (green leaves)

larva	
eggs	
butterfly	
https://biologydictionary.net/complete-	

The Four Life Stages

Four Life Stages

Environmental requirements and hazards are different for each stage being eaten or parasitized is a hazard in all.



Zenhyr angelwing on Ribi

- Egg: needs host plant for oviposition
- Larval: needs the correct host plant and enough leaves/food to grow to maturity
- Pupal: Needs a protected place to pupate and develop.
- Adult: Needs nectar for flight (and salts and minerals for nutrition)

Butterflies do not nest like bees

They overwinter (survive the cold season) in a number of different ways depending on species.

As eggs, or pupa or adults.

- Hairstreaks and coppers as eggs
- Sulfurs as larvae
- Whites and orange tips as pupa
- Monarchs as adults



What about migration?

Another strategy for avoiding winter

The two we see most are

- Monarchs: Pacific population migrates south and west to coast to evergreen trees
- Painted ladies: Migrate to our area from the desert in late winter, early spring.



Seasonality

- · Lifecycle is strongly seasonal
- Butterflies numbers start off scarce in spring
 Build up their numbers with
- Build up their numbers with successive generations
 Butterfly season peaks in
- Butterfly season peaks in September and October



Which butterflies will you see? It depends on....



Connectivity of your habitat to surrounding landscapes

- Proximity to natural areas
- Surrounding gardens and the plants in them

Polyphagy and mobility

- How wide a diet the butterfly species has (generalist or specialist)
- Can it travel between habitat patches; some species rarely move but a few feet

Hairstreak larva by Allen Jones 2010

The **quality** of garden and surrounding **habitat** is critical



- This is the fundamental determinant of variation in abundance
- The management of your landscape as a resource for butterflies is important
- Abundance of butterflies is determined by food availability

"The best you can do is provide them a good pub" Miriam Rothschild, Butterfly Gardening

- Butterfly abundance is determined by food availability.
- Both host plants for caterpillars and nectar for adults.
- Adults eat nectar as fuel for flight, to mate and lay eggs.



P	<u></u>	Ш	١.	1

How many life stages do butterflies have?

- Two
- Three
- Four

When is peak butterfly season?

- May and June
- July and August
- September and October

Questions??

Type them into the Q and A Section



	6

Manage your landscape for butterflies

- Provide a diversity of plants (preferably native)
- Provide egg laying sites: host plants
- Maintain sheltered, undisturbed places for hibernation and overwintering
- Keep your landscape free of poisonous chemicals



"Leave the leaves" and some undisturbed sites for overwintering

- Overwintering sites include:
 - Leaf litter
 - Dense vegetation
 - Tree cavities, caves, rocks

Leave muddy puddles for sipping and extracting nutrients



Sulfur butterflies puddling

Butterfly abundance and food availability



- Increase the number of host plant species and grow host and nectar plants in large patches
- Microclimate and slope of the site has an effect on temperature, moisture and suitability of habitat.
- Butterflies prefer sunny open areas to warm wings for flight.

Egg-Laying: Host Plants for Larva

- Our butterflies have adapted to our modified non-native landscapes
- About half of Central Valley depend on eating "weeds"
- Due to the conversion of wetlands to irrigated Ag



Some considerations for plant selection and design

- Use as many native plants as possible—they support 3x as many butterflies and moths as non-natives
- Plant density—use masses 3 feet in diameter or more.
- Include some grasses, as overwintering sites and host plants.
- Provide for blooming in spring, summer and fall.



Selecting plants




- Use plants from growers that do not use neonicotinoid pesticides.
- Select plants that are not highly hybridized, which may have less nectar or nonfunctional flower parts.

Some of our butterflies are introduced (non-natives)



- The European cabbage butterfly
- Larva eats wide variety of crops and weeds in the cabbage family.
- Often seen nectaring in our gardens

Some butterfly species have adapted to eat both native and **non-native** plants



- Orange Sulfur (Alfalfa butterfly) one of our most abundant butterflies.
- Larva can eat alfalfa but also native plants in the Legume family (Fabaceae)
- Like deerweed (Lotus)



What flowers attract butterflies?

- Plants with flowers that produce nectar!
- Butterfly adults have tubular straw-like mouth parts for sipping nectar that they use for flight fuel.
- Some also feed on sap, rotting fruit, dung, honeydew



Poll 2 What management practices are good for butterflies?

- 1. Have mostly lawn and keep it cut really short
- 2. Rake up all leaves and put them in the street.
- 3. Leave some leaves and piles for overwintering sites.
- 4. Never let puddles form.



Questions??

Type them into the Q and A.

Some butterflies will only be seen if you live near native habitat



- Oak forests
- Riparian Areas
- Tule Marsh



Lets review some butterflies of our area





Lorquins Admiral

- Now scarce and local, once common
- Host: willow (Salix spp.)
- Riparian areas and wetlands
- California Sister
- Likely to visit sap, bruised fruit,
- roadkill, dung.
 Host: oaks
- Common in Oak woodlands

Swallowtails: Pipevine (L) and Westem Tiger Swallowtail (R)



Host : California pipevine, Aristolochia californica Riparian: seen along waterways

Host plants: *Platanus* (sycamore), *Fraxinus* (ash), *Populus* and *Salix*





Pipevine swallowtail eats only *Aristolochia* (monophagous)

- Pipevine swallowtail
- Eats only *Aristolochia,* californica, California pipevine
- In other areas of US eats other native Aristolochia



Anise Swallowtail



- Host plant: fennel, anise, various plants in carrot family (native Angelica, Heracleum and more)
- Osmeterium extended, emits foul odor



Johnvillella CC BY-NCSA 2.0

Lady butterflies

Painted lady

Vanessa cardui , painted lady

- Many various host plants, cosmopolitan (Borage Family, Aster family, Legume Family and more)
- Migrant from south to north sometimes in mass.

Vanessa annabella, West coast lady

- Host plants: Malvaceae (Malva, Malvella, Hollyhock, Lavatera)
- · Our most common painted lady



More Vanessa butterflies




Red admiral *Vanessa atlanta* Host: Urticaceae, nettles

- American lady, Vanessa virginensis
- Least common
- · White spot in forewing cell
- Hosts: Everlastings, Gnaphalium, Anaphalis.



If you plant a passionflower vine you will likely get Gulf Fritillaries: prolific mainly urban, non-native plant host, not cold hardy



Buckeye butterfly
Hosts: "Scrophulariacae" (now divided into new groups)

Common here

• Snapdragons
• Scrophularia californica
• Lippia nodiflora
• Plantago Plantain (weed)
• Kickxia (weed)

Mylitta crescent Hosts: weedy thistles, *Cirsium, Carduus, Silybum*



Skippers



- Small butterflies sometimes considered in their own family
- Ends of antennae are curved and flattened not club shaped
- Hosts: grasses, bermuda grass, salt grass

Other skippers





Common Checkered Skipper (abundant and widespread) Hosts: weedy Malva, Malvella leprosa, Akea, (Abutilon theophrasti?)





Mournful duskywing



- Common and widespread
- Host: oaks (Quercus) both deciduous and evergreen, native and introduced

Poll Question 3

Skippers are different from other butterflies in that

- 1. They are very large
- 2. Are scarce and hard to see
- 3. Have flattened ends on their antennae that curve.

Questions??

Type them into the Q and A.

Common Hairstreak



Common and general in disturbed habitats

- Perch on tall plants, highly mobile tails Native hosts:
- turkey mullein Eremocarpus setigerus, Spanish lotus, Lotus purshianus

Non-native hosts

 Cheeseweed, hollyhock, Pea family, alfalfa, *Lotus*

Eastern tailed blue



Acmon blue Hosts: Perennial buckwheats, prostrate knotweeds, Pea family esp. *Lotus*, many species





Non-native Woody Plants for Butterflies

- Butterfly bush (Buddleia)
- Syringa spp. Lilacs, (Red Admiral on S. laciniata)



Butterfly Bush now comes in dwarf sizes, seedless types and many colors



More plants for butterflies: lavenders



- Lavandula xginginsii 'Goodwin Creek Grey'
- many other lavenders also are good.



Perennial plants attractive to butterflies

Family

Asters

- Goldenrods

-Achillea (yarrow)

- Best to use low water plants Perennials in the Daisy
- · Incorporate California natives
- Provide summer and fall bloom is when butterflies are most aboundant







Common native plants for butterflies: buckwheats

- Eriogonum grande var. rubescens, pink buckwheat with Acmon blue
- Eriogonum fasciculatum, California buckwheat with California buckeye
- · And other species





1/26/202	

Native shrubs

- Coyote Brush, Baccharis pilularis
- Coffee berry, Frangula californica
- button willow, Cephalanthus occidentalis (needs moisture)



Milkweeds not only feed larva of Monarchs but also provide nectar for other insects

Local larval food plants for Monarchs

- Asclepias fascicularis
- Asclepias speciosa
- Asclepias cordifolia

Warning: may spread or need placement out of view.

Avoid tropical species, tend to be evergreen and spread disease.




Poll question 4

Some non-native plants that attract butterflies are:

- 1. Butterfly bush
- 2. Asian Lilacs
- 3. Lavenders
- 4. All of the above.

Questions?? Type them into the Q and A.

Other Perennial Garden Plants for Butterflies: try sedums • Sedum 'Autumn Joy' • Easy to grow • Tons of new cultivars available to try



Lantana camara

- All varieties are not created equal
- Have been hybridized
- Weedy
- Get big, turn black in winter



Verbena bonariensis Verbena lilacina 'De la Mina'





Make diverse plant choices for diverse butterfly support

- Butterflies need nectar for energy throughout the year
- Use plants that will bloom at various times of the year. (longer supply period)
- Check that California native plants are water compatible with your nonnative plants



4	

Plant lupines

Great for bees and both adult and larvæ of butterflies host to several blues, hairstreaks (Lupinus succulentus, Lupinus albifrons in UCD Arboretum)



And a few annuals are butterfly magnets and worth growing *Zinnia* and *Tithonia*



Why plant for butterflies?



- "There is no doubt that habitat loss and fragmentation are the biggest known threats to butterflies"
- -Dr. Arthur Shapiro
- Creating habitat in you garden can help.

Planting a butterfly garden?

- Larger gardens can work to create a variety of habitats.
- A stand of milkweed can increase the number of butterfly visitors.
- Add plants for butterflies to your existing garden.
- Create a wonderful window into the diversity of the local environment.



Planting for butterflies



"Makes a small contribution to the continued existence of their small splendor"

-Jo Brewer

We can create resource rich landscapes



If butterfly plants are grown along roadsides they can become butterfly highways, a link between nature reserves, gardens and forests

Other plants to attract butterflies?

- For more plants to use go to Art Shapiro's Butterfly Site at http://butterfly.ucdavis.edu/d oc/garden/valley
- See Anne Schellman's article http://cestanislaus.ucanr.edu/ files/111734.pdf
- · Look up water needs https://ucanr.edu/sites/WUC



Wild creatures will thank you!



References



- Arthur M. Shapiro and Timothy D. Manolis. 2007. Field Guide to Butterflies of the San Francisco Boy and Sacramento Valley Regions, University of California Press, Berkeley and Los Angeles, C.A. Xeres Society/Rinthonnia Institution. 1990. ButterflyGardening. Creating Summer Magic in Your Garden. Sierra Club Bools with the Smithsonian Institution.
- Serra Club Books with the Smithsonain Institution.

 Fit Mader et al. 2011. Attrong Northe Pollimotors, Xerces Society, Storey Publishing, Morth Adams, MA.

 Peter B. Hardy et al. 2007. Specialism for lawroland adult consumer resources among British butterflies: implications for conservation, Biological Conservation, Volume 13B, Issue 3-4, pp. 440-452.

 N. Rudhi, G. Nejara and P. Sujaha. 2012. What determines the abundance of butterflies? A short search. Recent Research in Science and Technology, 4(11):28-33.

 Butterflies of Stanklaus Countryonline

 http://www.abirdshome.com/resource/chikist/states/counties/ca_99.htm


Poll 5

Which of the following steps can you take to bring butterflies to your garden?

- Plant milkweed.
- · Leave piles of rocks and sticks.
- Select nectar rich flowering plants.
- All of the above.

Questions??

Type them into the Q and A.



HOOPLA

www.stanislauslibrary.com





Stanislaus County Library Website Services County Library Websites To the County Library We

Reading Recommendations Stanislaus County Library Stanislaus County Libra

Help Us Grow! Our follow-up email survey provides us the tools we need to grow and improve the quality of our program.	
---	--