

# LEGITIMIZATION OF *SABAL YAPA* (ARECACEAE): CLASSICAL VERSUS COMMON LATIN

## LEGITIMIZACIÓN DE *SABAL YAPA* (ARECACEAE): EL LATÍN CLÁSICO VERSUS EL LATÍN VULGAR

CELIO E. MOYA LÓPEZ, RODRIGO DUNO DE STEFANO, AND RAMONA OVIEDO PRIETO

Recently we published an update of *Sabal yapa* (Moya et al. 2021) (**Fig. 1**), and, among several revelations, determined that the correct spelling of the epithet should be *S. japa*. Unfortunately, this determination proved to be incorrect, and it will be addressed below and corrected. Our study also revealed that:

1. Charles Wright collected the type specimen (3971), on December 12, 1866, in La Güira, Luis Lazo, Minas de Matahambre municipality, Pinar del Río province, Cuba (**Fig. 2**);
2. When Beccari (1907) published *Sabal yapa* C. Wright ex Becc., it was a superfluous and illegitimate name;
3. We transcribed or corrected *Sabal mayarum* Bartlett to *Sabal mayana* Bartlett and lectotypified all heterotypic synonyms of *S. yapa*.

We also provided complete status of the types, uses, and the geographical and biogeographical distribution of *Sabal yapa*, including a distribution map (Moya et al. 2021).

The most important taxonomic electronic database like GBIF (2022), IPNI (2022), POWO (2022), The Plant List (2013), and Tropicos (2022) refer to this species as *Sabal yapa* C. Wright ex Becc. We reaffirm here that *Sabal japa* C. Wright ex Bartlett was effectively and validly published (see Turland et al. 2018: Art. 29-31 and Art. 32-45).

Parra (1799) was the first to use «*P. [palm] Jata*» as a vernacular name of the species, which is why Wright wrote the name «*japa*» for the *Sabal* species he had collected as *Wright* 3971. Sauvalle (1871) published the name but without a description, thus, it is a nomen nudum while Beccari (1907) published «*S. yapa*» but as a superfluous and, thus, illegitimate name.

Unfortunately, we erred in our interpretation of the Code and subsequent spelling of the epithet *Sabal japa* (Moya et al. 2021) because Art. 60.1, 60.4, and 60.6 (Turland et al. 2018) recommend



**1.** *Sabal yapa*, habit, at Las Pozas, San Juan Guacamayo, Bahía Honda, Artemisa, Cuba. © 2017 D. R. Hodel.



**2.** Map showing type locality of the Wright 3970 collection of the lectotype of *Sabal yapa*. ©2023 Google.com and Hicuba.com.

that “when the original publication of a name adopted a use of the letters *u*, *v*, or *i*, *j* in any way incompatible with modern nomenclatural practices, those letters are to be transcribed in conformity with modern nomenclatural usage.” The Code only accepts classical Latin, which did not have “*j*,” and words from Greek; because «*Jata*» is a vernacular name derived from neither Latin nor Greek, its “*j*” must be changed to “*y*.” Here we propose the change of *japa* to *yapa*. Replacement name epithets are written in accordance with the accepted usage of Latin in excluded names (see Turland et al. 2018: Recommendation 60E.) Thus, the validly published name is:

***Sabal yapa*** C. Wright ex Bartlett, Publ. Carnegie Inst. Wash. 461(2): 36. 1935, 'japa'. Type: CUBA.

Pinar del Río province: Minas de Matahambre municipality, Luis Lazo, La Güira, 12 December 1866, Wright 3971 (**Fig. 3**)


### Excluded names:

*"Sabal japa"* C. Wright, in Sauvalle, Anales Acad. Ci. Med. Habana, 8: 562. 1871, nom. nud.

available so far only in fine fruiting specimens (*Bartlett 19284*, Uaxactun, Department of Peten, Guatemala) the writer intends to name, when flower-

ing &  
book  
tent

Fr  
may  
inter  
ently  
dian  
tains  
but  
adns



fruit is smaller, 7 to 9 mm. in diameter. It is associated with a good flower-ing specimen.

*Sabal japa* Wright. Arbor. Folia magna, segmentis ca. 120-150 cm. longis, 5 cm. latis, non filiferis, ca. 15-30 cm. infra apice bifidis, costa ad sinus basin terminanti; ligula 4-5 cm. longa, 1.5 cm. lata; rhachide in lamina ca. 60 cm. producta. Bracteolæ florales 1 vel 3, parvæ, 1.4 mm. latæ, 0.6 mm. longæ, textura firmæ. Flores maturi nondum aperti 5.5 mm. longi 3 mm. crassi. Calyx non costulatus, glaber, cupuliformis, 2 mm. diametro, vix 2.5 mm. altus, subtus retusus, basi connatus, sursum dimidia parte trilobus, sinibus acutis, apicibus obtusis. Petala 3.5 mm. longa, 3 mm. lata, ut videtur inter se distincta sed intus ad cupulam stamineam valde adnata, ergo cohærentia, obscure 5- 7-venosa. Stamina 6, filamentis basi ad petala adnata et lateraliter connata annulum brevem formantia, parte libera 2.5 mm. longa, carnosa, anguste triangula, pallide colorata; antheræ 1.7 mm. longæ, paullulo infra medium dorso affixæ. Pistillum 4.5 mm. longum, anguste conicum, triloculare.—Descriptio ex specimine typico cl. C. Wright, no. 3971, Cuba, in U. S. Nat. Herb., no. 33398.

Of this species there is no material in the National Herbarium except the type.

3. Protologue of *Sabal japa* C. Wright ex Bartlet effectively and validly published. © 2023 HathiTrust Digital Library.

“*Sabal japa*” C. Wright, in Sauvalle, Fl. Cub. (Sauvalle): 152. 1873, later isonym without nomenclatural status.

“*Sabal yapa*” C. Wright ex Becc., *Webbia* 2: 64. 1907, illeg. name.

“*Sabal japa*” C. Wright ex Bartlett, *Publ. Carnegie Inst. Wash.* 461: 36. 1935, incompatible with modern nomenclatural practices.

## Acknowledgements

We are grateful to Donald R. Hodel for carefully reviewing the manuscript, providing photographs, and improving the English. We also thank the teams of the Google maps and *Hicuba.com* for allowing us to make the map, to HathiTrust Digital Library for allowing us to consult the protologue. We are grateful to anonymous reviewers for their suggestions. To all we give our sincere thanks.

## Literature Cited

- Bartlett, H. H. 1935. Botany of the Maya area: miscellaneous papers II. *Publ. Carnegie Inst. Washington*. Washington, DC. 461: 29–37. On-line:  
<https://babel.hathitrust.org/cgi/pt?id=mdp.39015005451953&view=1up&seq=72&q1=Sabal%20japa>
- Beccari, O. 1907. Le palme Americane della tribu delle Corypheae. *Webbia*. 2: 1–343.
- GBIF Secretariat. 2022. GBIF Backbone Taxonomy. <https://www.gbif.org/species/2732498>  
Accessed: 16 December 2022.
- IPNI. 2022. International Plant Names Index. The Royal Botanic Gardens, Kew, Harvard University Herbaria & Libraries, and Australian National Herbarium. <http://www.ipni.org>  
Accessed: 16 December 2022.
- Moya López, C. E., R. Duno de Stefano, and R. Oviedo Prieto. 2021. Charles Wright and the Cuban Palms. 9. Update *Sabal japa*. *PalmArbor* 2021-14: 1–30.  
<https://ucanr.edu/sites/HodelPalmsTrees/files/361795.pdf>
- Parra, A. 1799. Discurso sobre los medios de connaturalizar y propagar en España los cerdos de La Habana y otros árboles... Imp. de la viuda de Ibarra, Madrid: 1–36.

POWO (2022). Plants of the World Online. Facilitated by the Royal Botanic Gardens, Kew.

<http://www.plantsoftheworldonline.org/> Accessed: 16 December 2022.

The Plant List. 2013. Version 1.1. <http://www.theplantlist.org/> Accessed: 16 December 2022.

Sauvalle, F. A. 1871. Flora Cubana, in Anales de la Academia de Ciencias Médicas Físicas y Naturales de la Habana. Revista científica 7: 560–566. Imp. La Antilla, de Cacho-Negrete. Habana.

Tropicos.org. 2022. Missouri Botanical Garden. <https://tropicos.org/name/2400617> Accessed: 16 December 2022.

Turland, N. J., J. H. Wiersema, F. R. Barrie, W. Greuter, D. L. Hawksworth, P. S. Herendeen, S. Knapp, W.-H. Kusber, D.-Z. Li, K. Marhold, T. W. May, J. McNeill, A. M. Monro, J. Prado, M. J. Price, and G. F. Smith (eds.). 2018. International Code of Nomenclature for Algae, Fungi, and Plants (Shenzhen Code) adopted by the 19th International Botanical Congress, Shenzhen, China, July 2017. Reg. Veg. 159. Koeltz Botanical Books, Glashütten: <https://doi.org/10.12705/Code.2018>

---

**Celio E. Moya López** is an independent researcher specializing in the palm biology of Cuban and Caribbean palms. [celio.moya@gmail.com](mailto:celio.moya@gmail.com)  
<https://orcid.org/0000-0002-5033-483X>

**Rodrigo Duno de Stefano**, Doctor of Sciences, and researcher and professor of Yucatan Scientific Research Center, A.C. (CICY), specializing in systematics of the Leguminosae family, as well as diversity and phytogeography of the Yucatan Peninsula. [roduno@cicy.mx](mailto:roduno@cicy.mx)  
<https://orcid.org/0000-0003-1707-4121>

**Ramona Oviedo Prieto** is a Doctor of Sciences of Forest and Tourism Management, Senior Naturalist Curator of the National Herbarium of Cuba "Onaney Muñiz" (HAC), and specializes in wetlands, threatened species, invasive plants, and floristic studies of the Cuban and Caribbean Flora. [roviedo1953@gmail.com](mailto:roviedo1953@gmail.com)  
<https://orcid.org/0000-0002-2766-6924>

---

© 2023 by the authors.

Photos © 2023 by each photographer.

Publication Date: 9 January 2023.

PalmArbor: <http://ucanr.edu/sites/HodelPalmsTrees/PalmArbor/>

**ISSN 2690-3245**

Editor-In-Chief: Donald R. Hodel

Hodel Palms and Trees: <http://ucanr.edu/sites/HodelPalmsTrees/>