

LIST I. SOME RECOMMENDED NECTAR PLANTS FOR BUTTERFLIES

ANN PLATZER, MASTER GARDENER, RIVERSIDE COUNTY

*	Califoria native	sp	spring bloomer	dt	drought tolerant
az	Arizona native	sm	summer bloomer	nh	nectar & host plant
SW	S. West U.S. native	f	fall bloomer	hb	attracts hummingbirds & butterflies
us	U.S. native	#	blooms most of year	W	winter bloomer

Apricot (Globe) Mallow, Sphaeralcea ambigua* dt hb Ja Jade Plant, Crassula ovata w Angelita Daisy, Tetraneuris acaulis # dt sw Lantana, Lantana species # hb **Aster species** Lavender, Lavandula species California Aster, Aster chilensis* sm-w dt English Lavender L. angustifolia sm Fern Lavender, L. multifida # Western Aster, Aster occidentalis* Black-eyed Susan, Rudbeckia species sm French Lavender, L. dentata # Bladderpod, Isomeris arborea * # nh hb dt Spanish Lavender L. stoechas sm Blanket Flower, Gaillardia species sm dt Sweet Lavender L. heterophylla # Indian Blanket Flower G. pulchella # Marigold, Tagetes species * Brittlebush, Encelia farinosa * # w sp dt Mountain Marigold, T. lemmoni * w sp Buckwheat, Eriogonum species nh dt hb Milkweed, Asclepias species nh California Buckwheat, E. fasculatum * # Blood Flower Milkweed, A. curassavica sp-f Red Buckwheat, E. grande rubescens * # Narrow-leaf Milkweed, A. fascicularis * dt sm St. Catherine's Lace, E. giganteum * Rush Milkweed, A. subulata * dt sp-f Butterfly Bush, Buddleia species sm hb Showy Milkweed, A. speciosa * dt sm-f Butterfly Bush, B. davidii sm Swan Plant Milkweed, A. fructicosa Sagewood, B. salviifolia w Mints, Mentha species hb Parish Goldeneye, Viguiera deltoidea * dt White Butterfly Bush, B. asiatica w Wooly Butterfly Bush, B. marrubiifolia az Penstemon Penstemon spp. * hb California Four O'clock, Mirabilis laevis * w-sm dt Pentas (Star Flower), Pentas lanceolata # hb California (Wild) Lilac, Ceanothus species Pincushion Flower, Scabiosa species # Ceanothus 'Concha' * dt sp-sm Scabiosa 'Blue Giant' Ceanothus 'Dark Star'* dt sp-sm Prince's Plume, Stanleye pinnata * nh dt California Sea Lavender, Poinsettia, Euphorbia pulcherrima w *Limonium californicum* * w sp dt Red Valerian, Centranthus ruber w sp California Sunflower, Encilia californica * dt Rosemary, Rosmarinus officinalis w sp Cape Plumbago, Plumbago auriculata # nh Sages, Salvia species Black Sage, S. mellifera * w sp dt hb Chuparosa, Justicia californica* Coneflower, Echinacea species. sm Cleveland Sage, S. clevelandii * sp dt hb White Sage, S. apiana * sm dt hb Coral Vine, Antigonon leptopus nh Coreopsis, Coreopsis species. Mexican Bush Sage, S. leucantha w sp sm Bigelow Coreopsis, C. bigelovii * Strawberry Tree, Arbutus unedo Garden Coreopsis, C. lanceolata * Sunflower Helianthus species Deerweed, Lotus scoparius * w sp # nh dt Slender Sunflower, H. gracilentus * w sp hb False Indigo, Amorpha fruticosa * hb nh, lower elev. Wild Sunflower, H. annuus * hb # A. californica * hb nh, higher elevations Thistles, Cirsium species* (many*) nh Gold Coin, Asteriscus maritimus # Californica Thistle, C. californium* Golden Crownbeard, Verbesina encelioides dt Mohave Thistle, C. mohavense* Trailing Indigo Bush, Dalea greggii # nh hb dt sw Goldenrod, Solidago species Tree Sedum, Sedum dendroideum dt California Goldenrod, S. californica * dt Heliotrope, Heliotropium species* Verbena, Verbena species sm Hollyhock, Alcea rosea sm Wishbone Bush, Mirabilis laevis, * # dt Chaparral Honeysuckle, Lonicera subspicata* hb Yarrow, Achillea millefolium * sp-f dt hb Indigo Bush, Dalea pulchra # nh dt az

COMMON BUTTERFLIES & THEIR HOST PLANTS

Cloudless Sulfur, *Phoebus sennae*: Wing span (WS) ~2 ¹/₂". Bright yellow, Host plant: *Cassia* (Senna), native & non-native. Popcorn Plant, *Cassia didymobotrya*, a non native.

Gulf Fritillary, *Agraulis vanillae:*). WS ~2 ½". Overwinters as adult. Orange upper wings (dorsal), large silver spots underneath (ventral Host plant: Passion Vine, *Passiflora* species . Many varieties e.g. *P*. "Coral Glow", *P*. "Blue Horizon". Note: not all Passion Vines are host plants for Gulf Fritillary

Monarch, *Danaus plexippus*: WS ~3 ½"-4". Overwinters as adult. Large orange BF with black vein markings & black border with double row white dots. Host plant: Milk Weeds, *Asclepias* species. Some are native. Milk Weeds are both nectar & host plants.

Giant Swallowtail, *Papilio cresphontes:* . WS ~ 5 ½". Overwinters as pupa. Largest BF in North America. Many broods. Dark dorsally with yellow horizontal band. Ventrally, cream-colored with black veins. Host plant: Citrus.

Western Tiger Swallowtail, *Papilio rutulus*: . WS ~ 4". Overwinters as pupa. Large, bright yellow BF with 'tiger-striped' bands Host plants: many trees e.g. Willow, Poplar, Sycamore, Aspen.

Gray Hairstreak, *Strymon melinus*: . WS ~ $1 \frac{1}{4}$ ". Overwinters as pupa. Common, small gray with orange patch near hind wing. Host plants: many families (20) e.g. Alfalfa, Clover, Mallow, Buckwheat.

Marine Blue, *Leptotes marina*: WS ~1". Overwinters as adult Very abundant, small BF.. Dorsal wings purplish-blue, ventral pale brown with "zebra-striped" bands. Host plants: many e.g. Plumbago, Deer weed, Locoweed, Trailing Indigo Bush.

Fiery Skipper, *Hylephila phyleus*: WS ~1 ¹/4". Overwinters as larva or pupa Common Small, fiery orange color.. Host plants: Native & Non-native Grasses

Umber Skipper, *Poanes melane*: WS ~ 1 ¼". (Overwinters as ?) Small umber brown. Host plants: Native & non-native grasses

Painted Lady, *Vanessa cardui:* WS ~ 2 ½". Overwinters as adult or migrates. Most widespread BF in the world. Dorsal orange with many dark markings. Ventral hind wing 5 prominent eyespots. Host plants: many e.g. Buckwheat, Desert Lavender, Sunflowers, Thistles, Lupine.

Common Buckeye, *Junonia coenia:* WS ~ 2 ½". Overwinters as adult. Brown with prominent eyespots. Host plants: Monkey Flower, Plantain, Snapdragon.

California Dogface, *Colias (Zerene) eurydice*: WS ~ 2 ½". Overwinter as adult. STATE INSECT. Only occurs in California, When the wings are closed males & females appear yellow. But when the wings are open the male has the profile of a dog's head on the fore wings. Host plant False Indigo Bush.

Cabbage White, *Pieris rapae:* Medium sized BF, WS 1-1 ¹/₂". Overwinters as a pupa. BFs are almost white. Male has one black spot on the forwing, the female has two. Host plants many such as wild radish mustard & nasturtium. It is not a native butterfly.

Sleepy Orange, *Eurema nicippe:* WS ~ $1 \frac{1}{2} - 2^{\circ}$. Overwinters as adult. Bright orange color with fine black dots on wing margins. Smaller than Cloudless Sulfur & flight more erratic & faster. Host plants are Senna (Cassia), like the Cloudless Sulfur, & also clover.

