HEALTHY FOOD SYSTEMS . HEALTHY ENVIRONMENTS

HEALTHY COMMUNITIES .

## University of California

**Agriculture and Natural Resources** 



## UCCE/DWR Weekly Crop Water Use Report

Making a Difference for California

			,	06/13/2	5 through (	06/19/25							
Crops (Leafout Date)		#70 Manteca				#194 Oakdale				#206 Denair II			
		6/13-6/19	Accum'd	6/21-6/27		6/13-6/19	Accum'd	6/21-6/27		6/13- 6/19	Accum'd	6/21-6/27	
		Water	Seasonal	Estimated		Water	Seasonal	Estimated		Water	Seasonal	Estimated	
	Weekly Kc	Use	Water Use	ETc		Use	Water Use	ETc		Use	Water Use	ETc	
Almonds $(3/1)$ *	1.05	2.10	18.47	1.89		2.00	17.47	2.01		2.08	18.42	2.03	
Peaches (3/15) *	0.86	1.71	11.21	1.54		1.61	10.58	1.66		1.69	11.15	1.68	
Walnuts (4/12) *	0.93	1.79	10.12	1.68		1.69	9.58	1.80		1.77	10.12	1.82	
Vineyard Established (4/1)	0.83	1.62	7.66	1.54		1.55	7.22	1.64		1.60	7.64	1.66	
Alfalfa (2/1)	0.97	1.96	22.83	1.75		1.86	21.62	1.87		1.94	22.84	1.89	
Pasture (2/1)	1.0	2.03	23.54	1.82		1.93	22.27	1.94		2.01	23.53	1.96	
Past 7 days precipitation (inches)			0.00				0.00				0.00		
Accumulated precipitation (inches) (3/1/2025)			2.68				3.43				2.85		

Accumulations started on February 1, 2025 or on the approximate leafout date for a specific crop as indicated in parentheses. Criteria for beginning this report are based on the season's last significant rainfall event where the soil moisture profile is estimated to be near its highest level for the new season.

\* Estimates are for orchard/vineyard floor conditions where vegetation is managed by some combination of strip applications of herbicides, frequent mowing or tillage, and by mid and late season shading. Weekly estimates of soil moisture loss can be as much as 25 percent higher in orchards where cover crops are planted and managed more intensively for maximum growth.

PAST WEEKLY APPLIED WATER IN INCHES, ADJUSTED FOR EFFICIENCY											
	#70 Mantec	a		#194 Oakdale				#206 Denair II			
75%	85%	95%		75%	85%	95%		75%	85%	95%	
2.8	2.5	2.2		2.7	2.4	2.1		2.8	2.4	2.2	
2.3	2.0	1.8		2.1	1.9	1.7		2.3	2.0	1.8	
2.4	2.1	1.9		2.3	2.0	1.8		2.4	2.1	1.9	
2.2	1.9	1.7		2.1	1.8	1.6		2.1	1.9	1.7	
2.6	2.3	2.1		2.5	2.2	2.0		2.6	2.3	2.0	
	75% 2.8 2.3 2.4 2.2	#70 Mantee   75% 85%   2.8 2.5   2.3 2.0   2.4 2.1   2.2 1.9	#70 Manteca   75% 85% 95%   2.8 2.5 2.2   2.3 2.0 1.8   2.4 2.1 1.9   2.2 1.9 1.7	#70 Manteca   75% 85% 95%   2.8 2.5 2.2   2.3 2.0 1.8   2.4 2.1 1.9   2.2 1.9 1.7	#70 Manteca ##   75% 85% 95% 75%   2.8 2.5 2.2 2.7   2.3 2.0 1.8 2.1   2.4 2.1 1.9 2.3   2.2 1.9 1.7 2.1	#70 Manteca #194 Oakda   75% 85% 95% 75% 85%   2.8 2.5 2.2 2.7 2.4   2.3 2.0 1.8 2.1 1.9   2.4 2.1 1.9 2.3 2.0   2.2 1.9 1.7 2.1 1.8	#70 Manteca #194 Oakdale   75% 85% 95% 75% 85% 95%   2.8 2.5 2.2 2.7 2.4 2.1   2.3 2.0 1.8 2.1 1.9 1.7   2.4 2.1 1.9 2.3 2.0 1.8   2.2 1.9 1.7 2.1 1.8 1.6	#70 Manteca #194 Oakdale   75% 85% 95% 75% 85% 95%   2.8 2.5 2.2 2.7 2.4 2.1   2.3 2.0 1.8 2.1 1.9 1.7   2.4 2.1 1.9 2.3 2.0 1.8   2.2 1.9 1.7 2.1 1.8 1.6	#70 Manteca #194 Oakdale #2   75% 85% 95% 75% 85% 95% 75%   2.8 2.5 2.2 2.7 2.4 2.1 2.8   2.3 2.0 1.8 2.1 1.9 1.7 2.3   2.4 2.1 1.9 1.7 2.4 2.4   2.2 1.9 1.7 2.1 1.8 1.6 2.1	#70 Manteca #194 Oakdale #206 Denair   75% 85% 95% 75% 85% 95% 75% 85%   2.8 2.5 2.2 2.7 2.4 2.1 2.8 2.4   2.3 2.0 1.8 2.1 1.9 1.7 2.3 2.0   2.4 2.1 1.9 1.7 2.3 2.0 1.8 2.4 2.1   2.2 1.9 1.7 2.1 1.8 1.6 2.1 1.9	

1 The amount of water required by a specific irrigation system to satisfy evapotranspiration. Typical ranges in irrigation system efficiency are: Drip, 80%-95%; Micro-sprinkler, 80%-90%; Sprinkler, 70%-85%; and Flood, 50%-75%.

For further information concerning this report, contact Roger Duncan or Moneim Mohamed at the University of California Cooperative Extension office in Stanislaus County at (209) 525-6800.