The New California Landscape

Planning for Low Water Use

Karrie Reid Environmental Horticulture Advisor UCCE, San Joaquin County Presented by Missy Gable Director, UC Master Gardener Program



Three main players

HARDSCAPE

Driveway Pathways Patios Dry river beds Sandbox/ Play areas

IRRIGATION SYSTEMS

Controller **Stations/Valves Delivery type**

- Drip
- Bubblers
- Sprays

PLANTS

Trees Shrubs

Perennials

Groundcovers

SERVICES

Shade/cooling

Decoration

Play surface

Food for wildlife

HARDSCAPE

- Reduce planted area: reduce water use!
- SIDE EFFECTS:
 - In sun: raised temps
 - If impervious- rain runoff



HARDSCAPE

- Use permeable material
 - Pervious concrete
 - Pavers with sand between
 - Rock (crushed like DG)
 - Walk-on bark
- Use permeable landscape fabric base





Pervious/permeable concrete



HARDSCAPE

For IMPERMEABLE surfaces:

- Grade for drainage to planted areas
- Cut slots to slow sheet runoff



Retain water on your property in wet season –

- increase soil reserve for later
- •allow for deep percolation to replenish water table

RAINWATER COLLECTION


- Not a total solution in **CA** climates
- May defer spring irrigation
- Some creative solutions are available; e.g. pools to cisterns



8 Principles of Successful Rainwater Harvesting

borrowed from Brad Lancaster Rainwater Harvesting for Drylands and Beyond Vol. 1

- 1. Thoughtful observation
- 2. Start at the top of your watershed and work your way down
- 3. Start small & simple
- 4. Spread and infiltrate the flow of water



8 Principles of Successful Rainwater Harvesting

borrowed from Brad Lancaster

Rainwater Harvesting for Drylands and Beyond



- 5. Plan an overflow & manage as a resource
- 6. Maximize living and organic groundcover
- 7. "Stack functions" e.g. berms as paths, veg as cooling, drive as catchment
- 8. Continually reassess

Downspout to flower garden



Downspout to Barrel





Vegetated Swales

DEFINITION: shallow landscaped areas designed to capture, convey, and potentially infiltrate stormwater runoff as it moves downstream.



IRRIGATION SYSTEMS

- Start with Controllers
 - Learn to program it!
 - Utilize multiple start times
 - Install rain shut-off



Know your soil! Know your system!

- Don't apply faster than your soil can absorb
- Even drip systems can produce runoff if APPLICATION RATE > INFILTRATION RATE



IRRIGATION SYSTEMS

Use the most efficient delivery system for each zone

- DRIP
 - Shrubs
 - Trees
 - Perennial beds/borders
 - Vegetables
 - Groundcovers



IRRIGATION SYSTEMS

- ROTARY STREAMS
 - Turf
 - Some groundcovers
 - Some dense shrubs



IRRIGATION SCHEDULING

- Use available resources and create a monthly schedule
- Differ by valves
 - Plants
 - Delivery rate of system
- Post by controller

You only have to do it once!



Sample Schedule

VALVE	April	May	June	July	Aug	Sept	Oct
1	12	15	20	22	20	15	11
2	5	7	10	11	9	8	4
3	10	11	12	13	12	11	9
4	30	45	60	75	70	45	30

Long run times may mean multiple start times!

A WORD ABOUT GRAYWATER

 Health and Safety Code § 17922.12, "untreated wastewater that has not been contaminated by any toilet discharge, has not been affected by infectious, contaminated, or unhealthy bodily wastes, and does not present a threat from contamination by unhealthful processing, manufacturing, or operating wastes. ..includes, but is not limited to, wastewater from bathtubs, showers, bathroom washbasins, clothes washing machines, and laundry tubs, but does not include wastewater from kitchen sinks or dishwashers."

Emerging as part of the landscape solution

Complex systems – high volume (>250G/day)

- Multiple drains, plumbed from inside
- Multiple houses or units
- Require building permits



Source: Sunset.com

Simple systems – low volume (<250G/day)

- Single or 2/family units
- Retrofitted from laundry to landscape
- May not require permits



3-way valve for laundry waste water

SOME BENEFITS



- reduced potable water to landscapes
- reduced energy load required for pumping and treating potable water
- a sustainable, steady, and reliable water source in areas of the state with low rainfall

SOME RISKS



- May cause salt build-up and plant damage
 - special cleaning products must be used
- if used with drip, filtration will be required
- may not be used for food plants
- should not be used on lawns or groundcovers
- direct human/animal contact poses health risks

Do your homework!



- For workshops:
 - http://greywateraction.org/business-directory/
- For design manual:
 - http://sfwater.org/modules/showdocument.aspx?documentid=55
- For design and install ideas and information:
 - oasisdesign.net

Look up regulations for your area!



The Role of Plants


- Increase property values
- Energy conservation through cooling
- Mitigate stormwater runoff
- Increase sense of well-being



The Role of Plants

- Decrease crime rates
- Increase commercial activity
- Increase community interaction
- Prolong infrastructure life






Low-water use vs. Drought-tolerant



LOW-WATER PLANTING STEP 1

HYDROZONING

 Placing plants with similar water needs and sun exposure together (on the same irrigation valve)



Steps to Converting to Low Water Use

- 1. Assess your plants
- 2. Assess your irrigation
- 3. Assess your soil
- 4. Make a plan
- 5. Remove unwanted hardscape & plants



Steps to Converting to Low Water Use

- 6. Amend soil with good compost if needed
- 7. Install/convert irrigation to most efficient for the space
- 8. Plant new material
- 9. Cover bare soil and lines with organic mulch



Assess existing plants and trees

- Remove
 - high maintenance plants
 - high water users
 - anything you don't like

Plants aren't childrenit's okay to get rid of them if they don't perform!

- Build around what you like/looks good
- Move plants together with similar water needs
- Make a list of plants you'd like and your empty spaces

Assess existing irrigation

- Find your valveswhat do they water?
- Which stations on your controller are assigned to each valve?
- Find all sprinkler heads
- Find existing drip distributor heads



Using In-line Drip

WHERE?

 Shrub beds, borders, hell-strips, groundcovers

WHY?

- Avoid blockage by plants
- Most efficient if installed properly



What is In-line Drip?

Total allowable line length is based on your water pressure- CHECK IT!



- Tubing with internal emitters
- Laid in grid patterns
- Different emitter rates
 - .24, 0.4, 0.6, 0.9 GPH
- Different emitter spacing
 - **12", 18", 24"**

PLANNING YOUR PLANTS

Plan A You know what you want

- 1. Make your list
- 2. Look up water needs on WUCOLS
- 3. Group plants by water needs
- 4. Shop and plant

Plan B You want to find plants

- 1. Decide types of plants you need
- 2. Use WUCOLS to generate list by type and water need
- 3. Narrow the list down
- 4. Shop and plant

http://ucanr.edu/sites/WUCOLS/

The Water Use Classification of Landscape Species (2-Minute Demo)

Low and Moderate Water Plants

- Some California natives
- Plants from other Mediterranean climates
- Some surprises from non-Mediterranean areas (especially in shade)
 - Daphne odora 'Aureomarginata'
 - Camellia japonica
 - Pittosporum tobira & P. undulatum

Water-conserving characteristics



- Thick, waxy leaves
- Gray and/or fuzzy leaves
- Vertically held leaves
- Succulent leaves
- Small leaves

Water-conserving characteristics

- Winter/early spring bloomers
- Many bulbs








Balance your Beds

- Total landscape goal of 50% ET₀
 - 1. Measure square footage of all beds
 - 2. Divide ft² of each bed by total Area%
 - 3. Multiply each Area% by its ET₀% Use%
 - 4. Add up all Use% equal to 50% or less





Area%

• Lawn =
$$.400$$

Total= 1000

Balance your Beds

Area% x ET₀% - (cool season turf ex.)

```
• A = .137 \times .10 = .014
```

•
$$B = .053 \times .10 = .005$$

• Lawn = .400 x
$$0.8 = .32 - 3/5$$
 of my budget!

•
$$Veg = .160 \times 1.0 = .16$$

•
$$C = .250 \times .10 = .025$$

Target
$$= .50$$

Actual: .524

Balance your Beds

Area% x ET₀%- (reduced turf/warm season)

•
$$A = .137 \times .50 = .0685$$

•
$$B = .253 \times .20 = .05$$

• Lawn =
$$.200 \times 0.6 = .12$$

•
$$Veg = .160 \times 1.0 = .16$$

•
$$C = .250 \times .40 = .100$$

Target
$$= .50$$

Actual: .4985!

- Reduce the lawn by half- use warm season type
- Add the area to aLOW water area
- •Balance with more moderate areas

The New California Landscape – Beyond Xeri-scaping



Lowering Your Water Needs

- Reduce the amount of turf
 - Eliminate all nonamenity turf
 - Use low-water groundcovers for green swaths



Turf Alternatives

- Evergreen groundcovers
- Planted pavers























